

(Adopted: 12/5/75; CARB Ex. Ord. G-73: 02/01/77; Readopted: 07/25/77; Amended: 01/04/82)

## Rule 509

### Place of Hearing

Hearings shall be held in facilities as arranged for by the Air Pollution Control Officer. The Hearing Board, by vote of its members, shall establish a schedule of meeting times and locations. Except when otherwise determined by the Hearing Board and indicated in notices of hearings as specified below, hearings shall be held at Board Room, City of Victorville, 15428 Civic Drive, Suite 200, Victorville, California, 92392. Petitions for emergency and interim variances may be heard wherever the Hearing Board is sitting.

[SIP: Deletion challenged U.S. 9<sup>th</sup> Cir. Case #97-71117; Deleted 6/27/97, 62 FR 34641, 40 CFR 52.220(c)(30)(x)(B) and 40 CFR 52.220(c)(42)(xiii)(D); Approved 12/21/78. 43 FR 59489, 40 CFR 52.220(c)(4)(xiii)(A); Approved 6/14/78, 43 FR 25684, 40 CFR 52.220(c)(30)(x)(A)]

(Adopted: 12/5/75; CARB Ex. Ord. G-73: 02/01/77;  
Readopted: 07/25/77)

## RULE 510

### Notice of Hearing

The Clerk of the Hearing Board shall mail or deliver a notice of hearing to the petitioner, the Air Pollution Control Officer, the holder of the permit or variance involved, if any, and to any person entitled to notice under [Division 26, Health and Safety Code](#).

[SIP: Deletion challenged U.S. 9<sup>th</sup> Cir. Case #97-71117; Deleted 6/27/97, 62 FR 34641, 40 CFR 52.220(c)(30)(x)(B) and 40 CFR 52.220(c)(42)(xiii)(D); Approved 12/21/78. 43 FR 59489, 40 CFR 52.220(c)(4)(xiii)(A); Approved 6/14/78, 43 FR 25684, 40 CFR 52.220(c)(30)(x)(A)]